•				
L Number	Hits	Search Text	TDB	Time stamp
_	3982	printer and server and (clients! pc	USPAT;	2001/05/04
		computers! workstations!)	EPO; JPO;	11:21
			DERWENT;	
			IBM_TDB	, , _ ,
-	164	server same (status with printer)	USPAT;	2001/05/02
			EPO; JPO;	17:02
			DERWENT; IBM TDB	
	609	(user client graphical\$4) same (status	USPAT;	2001/05/02
	009	with printer)	EPO; JPO;	17:03
		with princer,	DERWENT;	17103
			IBM TDB	
_	1242	(user client graphical\$4 display\$4) same	USPAT;	2001/05/02
		(status with printer)	EPO; JPO;	17:03
		•	DERWENT;	
			IBM_TDB	
-	93		USPAT;	2001/05/02
		computers! workstations!)) and (server	EPO; JPO;	17:10
		same (status with printer)) and ((user	DERWENT;	
		client graphical\$4 display\$4) same	IBM_TDB	
	175	(status with printer))	HCDAM.	2001/05/02
_	175	(status with display\$4 with (client user)) same printer	USPAT; EPO; JPO;	2001/05/02 17:13
		user)) same princer	DERWENT;	17.13
			IBM TDB	
	0	((status with display\$4 with (client	USPAT;	2001/05/02
		user)) same printer) same (wait\$4 with	EPO; JPO;	17:14
		time with printer)	DERWENT;	
		• •	IBM TDB	
-	7	((status with display\$4 with (client	USPAT;	2001/05/02
		user)) same printer) and ((wait\$4	EPO; JPO;	17:15
		delay\$4)with time with printer)	DERWENT;	
			IBM_TDB	2001 (05 (02
-	2		USPAT; EPO; JPO;	2001/05/02 17:23
		user)) same printer) and (wait\$4 with time with printer)	DERWENT;	17.23
		cline with printer,	IBM TDB	ļ
_	1	((status with display\$4 with (client	USPAT;	2001/05/02
	_	user)) same printer) and (postpon\$4	EPO; JPO;	17:24
1		with job)	DERWENT;	
	į	, , ,	IBM TDB	
-	24	postpon\$4 with job	USPAT;	2001/05/04
			EPO; JPO;	10:10
			DERWENT;	
			IBM_TDB	2001/05/04
] -	598		USPAT;	2001/05/04
1		wait\$6) same (printer job)	EPO; JPO; DERWENT;	11:44
1			IBM TDB	
_	3982	printer and server and (clients! pc	USPAT;	2001/05/04
		computers! workstations!)	EPO; JPO;	11:25
	[,	DERWENT;	
			IBM_TDB]
-	69		USPAT;	2001/05/04
		(run\$5 wait\$6) same (printer job)) and	EPO; JPO;	11:47
1		(printer and server and (clients! pc	DERWENT;	
		computers! workstations!))	IBM_TDB	0002 /05 /04
-	152		USPAT;	2001/05/04
		wait\$6) with (printer job)	EPO; JPO;	11:47
			DERWENT; IBM TDB	
1_	5	(display\$4 with (status state) with	USPAT;	2001/05/04
1		(cun\$5 wait\$6) with (printer job)) and	EPO; JPO;	13:09
		(printer and server and (clients! pc	DERWENT;	
	1	computers! workstations!)	IBM TDB	
-	2581	(monitor\$4 check\$4 detect\$4) with (status	USPAT;	2001/05/04
1		state) with printer	EPO; JPO;	13:37
1			DERWENT;	
			IBM_TDB	

Search History 5/3/02 12:32:48 PM Page 1

-	4	((display\$4 with (status state) with (run\$5 wait\$6) with (printer job)) and (printer and server and (clients! pc computers! workstations!))) and	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/04 15:57
-	1	((monitor\$4 check\$4 detect\$4) with (status state) with printer) ((display\$4 with (status state) with (run\$5 wait\$6) with (printer job)) and (printer and server and (clients! pc	USPAT; EPO; JPO; DERWENT;	2001/05/04 13:45
_	1	computers! workstations!))) and (server same ((monitor\$4 check\$4 detect\$4) with (status state) with printer)) 5982994.pn. and (server same ((monitor\$4	USPAT;	2001/05/04
	1	check\$4 detect\$4) with (status state) with printer)) 5982994.pn. and (server same printers!)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2001/05/04
			EPO; JPO; DERWENT; IBM_TDB USPAT;	14:11
	2	<pre>(((display\$4 with (status state) with (run\$5 wait\$6) with (printer job)) and (printer and server and (clients! pc computers! workstations!))) and ((monitor\$4 check\$4 detect\$4) with (status state) with printer)) and (server same printers!)</pre>	EPO; JPO; DERWENT; IBM_TDB	14:11
	4	<pre>((display\$4 with (status state) with (run\$5 wait\$6) with (printer job)) and (printer and server and (clients! pc computers! workstations!))) and ((monitor\$4 check\$4 detect\$4) with (status state) with printer)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2001/05/04 16:01
	0	<pre>(((display\$4 with (status state) with (run\$5 wait\$6) with (printer job)) and (printer and server and (clients! pc computers! workstations!))) and ((monitor\$4 check\$4 detect\$4) with (status state) with printer)) and (postpon\$6 schedule)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2001/05/04 16:02
-	448	(user operator client) with (postpon\$6 schedul\$4) with (print\$4 job)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/04 16:07
-	76	<pre>(printers! and server) and ((user operator client) with (postpon\$6 schedul\$4) with (print\$4 job))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/04 16:40
_	3	6213652.pn.	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/08
-	0	6213652.pn. and (calculat\$4 with time with print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/08
-	0	6213652.pn. and (calculat\$4 with time)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/08
-	1	6213652.pn. and ((monitor\$4 check\$4) with time with print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/08
-	35	registration with (signal request) with server with (pc computer host workstation)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/05/08 12:46

-	2	5669040.pn.	USPAT;	2001/05/08
			EPO; JPO;	12:46
			DERWENT;	
	1		IBM TDB	
_	1	5669040.pn. and registration	USPAT;	2001/05/08
	_	double the same registration	EPO; JPO;	12:59
			DERWENT;	12.39
		5669040.pn. and password	IBM_TDB	0001 (05 (00
-	1	3669040.pn. and password	USPAT;	2001/05/08
			EPO; JPO;	12:59
			DERWENT;	1
			IBM_TDB	
-	599		USPAT;	2001/05/08
		process\$4 wait\$4)) and server and	EPO; JPO;	14:08
		(printer fax copier)	DERWENT;	
			IBM_TDB	
-	29641		USPAT;	2001/05/08
	1	process\$4 wait\$4 job)	EPO; JPO;	14:47
ľ			DERWENT;	
			IBM TDB	
-	3462	(calculat\$4 with time with (run\$4 print\$4	USPAT;	2001/05/08
		process\$4 wait\$4 job)) and (display\$4	EPO; JPO;	13:53
		with time with (run\$4 print\$4 process\$4	DERWENT;	20.00
İ		wait\$4))	IBM TDB	
_	42	1 · · · · · · · · · · · · · · · · · · ·	USPAT;	2001 /05 /09
	12	print\$4 process\$4 wait\$4 job)) and	-	2001/05/08
			EPO; JPO;	15:00
		(display\$4 with time with (run\$4 print\$4	DERWENT;	
		process\$4 wait\$4))) and ((user operator)	IBM_TDB	
		with server and (printer fax copier))	İ	
-	2	(((calculat\$4 with time with (run\$4	USPAT;	2001/05/08
		print\$4 process\$4 wait\$4 job)) and	EPO; JPO;	14:24
		(display\$4 with time with (run\$4 print\$4	DERWENT;	
		process\$4 wait\$4))) and ((user operator)	IBM TDB	į J
		with server and (printer fax copier)))	_	1
		and (print\$4 adj job)		
-	8926		USPAT;	2001/05/08
		(run\$4 print\$4 wait\$4 (print\$4 adj job))	EPO; JPO;	14:57
		(-mi) - Pilist Marey - (Primey : day job/)	DERWENT;	11.57
			IBM TDB	
_	115	((calculat\$4 display\$4) with time near3	USPAT;	2001/05/08
	113	(run\$4 print\$4 wait\$4 (print\$4 adj job)))	EPO; JPO;	1
	•	and ((user operator) with server and		14:56
			DERWENT;	i i
	1 111	(printer fax copier))	IBM_TDB	1
-	111	(calculat\$4 display\$4) with (time near3	USPAT;	2001/05/08
		(wait\$4 print\$4)) with job	EPO; JPO;	14:59
1			DERWENT;	
			IBM_TDB]
-	26		USPAT;	2001/05/08
		(wait\$4 print\$4)) with job) and ((user	EPO; JPO;	15:00
		operator) and server and (printer fax	DERWENT;	
		copier))	IBM TDB	
-	25	calculat\$4 with print with time with	USPAT;	2001/05/08
		(print\$4 adj job)	EPO; JPO;	16:59
			DERWENT;	
			IBM TDB	
_	2	5146344.pn.	USPAT;	2001/05/08
			EPO; JPO;	17:01
			DERWENT;	1 - 7 - 0 - 1
			IBM TDB	[
_	9	("6213652" "5982994" "5937148"	USPAT;	2002/05/02
		"5669040").pn.	1	2002/05/02
		3003040 J.pn.	EPO; JPO;	13:30
			DERWENT;	
		(1.6.44	IBM_TDB	
1-	2997	(inform44 notif\$4) same server	USPAT;	2001/10/11
	1		EPO; JPO;	13:30
			DERWENT;	
			IBM TDB	
-	0	((simultaneous44 'same' adj time	USPĀT;	2001/10/11
		concurrent\$4) same printers! same status)	EPO; JPO;	13:30
'		and ((inform44 notif\$4) same server)	DERWENT;	
]		,,,	IBM TDB	
l	L	- · · · - · · · · · · · · · · · · · · ·	1011	

Search History 5/3/02 12:32:48 PM Page 3

-	42	(simultaneous44 'same' adj time	USPAT;	2001/10/11
İ		concurrent\$4) same printers! same status	EPO; JPO;	13:35
	1	•	DERWENT;	
ı			IBM TDB	
f _	3	(simultaneous44 'same' adj time	USPAT;	2001/10/11
r		concurrent\$4) with status near4 printers!		13:43
	1		EPO; JPO;	13:43
		with (user pc computer workstation	DERWENT;	
	_	terminal client)	IBM_TDB	
-	1		USPAT;	2001/10/11
	İ	concurrent\$4) with status near4 printers!	EPO; JPO;	15:20
		with (user pc computer workstation	DERWENT;	
1		terminal client)) and server and (user	IBM TDB	
		pc computer workstation terminal client)		
_	2		USPAT;	2001/10/11
	-	0.0012.001	EPO; JPO;	15:20
			DERWENT;	13.20
			1	
	1	5007140	IBM_TDB	
-	1	5937148.pn. and (printers! with	USPAT;	2001/10/11
		display\$4)	EPO; JPO;	15:35
			DERWENT;	i I
			IBM TDB	
-	1	5937148.pn. and ((host computer) with	USPAT;	2001/10/11
	1	status)	EPO; JPO;	15:40
		/	DERWENT;	10.30
				1
	-	F027140 mm and (IBM_TDB	1 2021 /10 /22
-	1	5937148.pn. and (server)	USPAT;	2001/10/11
			EPO; JPO;	15:40
	1		DERWENT;	
			IBM TDB	
_	3	5727135.pn.	USPAT;	2001/10/11
		•	EPO; JPO;	16:31
			DERWENT;	1 20.31
1 -	10	/ " (212 (52 " 150 200 11 150 271 40	IBM_TDB	2002/05/02
-	10	,	USPAT;	2002/05/02
	1	"5669040").pn.	EPO; JPO;	13:30
			DERWENT;	
			IBM TDB	İ
-	0	(("6213652" "5982994" "5937148"	USPAT;	2002/05/02
		"5669040").pn.) and (status with (users!	EPO; JPO;	13:31
		clients! computers!))	DERWENT;	1 13.31
		criencs: computers://	1	
		//!/(212/52)! !!5002004!! !!5027140!!	IBM_TDB	0000 (05 (00
-	0	, , .==	USPAT;	2002/05/02
		"5669040").pn.) and (status same (users!	EPO; JPO;	13:31
1		clients! computers!))	DERWENT;	
1			IBM_TDB	
-	9192	(status same (users! clients!	USPAT;	2002/05/02
	1	computers!))	EPO; JPO;	13:31
		• · · - · · ·	DERWENT;	===
			IBM TDB	
1_	201	/status with /ich printon)		2002 (05 (02
1 -	391	(status with (job printer)) same (users!	USPAT;	2002/05/02
1		clients! computers!)	EPO; JPO;	13:36
1			DERWENT;	
1			IBM_TDB	
-	117	(status with (jobs! printers!)) same	USPAT;	2002/05/02
		(users! clients! computers!)	EPO; JPO;	13:42
			DERWENT;	·
1			IBM TDB	
_	47	(status noars (jobs) mintagelly		2002/05/22
-	"'	(status near5 (jobs! printers!)) same	USPAT;	2002/05/02
		(users! clients! computers!)	EPO; JPO;	16:14
1	1		DERWENT;	
			IBM_TDB	
-	5	(status near5 (jobs! printers!)) same	USPAT;	2002/05/02
		(workstations!)	EPO; JPO;	16:19
		· · · · ·	DERWENT;	
l _	45	/atatua manus /dahat muduh-u-tii uu.u.	IBM_TDB	2002/05/22
-	47	(status near5 (jobs! printers!)) same	USPAT;	2002/05/02
		(users! clients! computers!)	EPO; JPO;	16:15
			DERWENT;	
	; l		IBM TDB	

- 5	(Joseph Permanent)	USPAT;	2002/05/02
	(workstations!)	EPO; JPO;	16:21
		DERWENT;	
		IBM_TDB	
- 46	((Landard () ower Parisonally Dame	USPAT;	2002/05/02
	(users! clients! computers!)) not	EPO; JPO;	16:56
	((status near5 (jobs! printers!)) same	DERWENT;	
	(workstations!))	IBM TDB	
- 15	(((status near5 (jobs! printers!)) same	USPAT;	2002/05/02
	(users! clients! computers!)) not	EPO; JPO;	17:18
	((status near5 (jobs! printers!)) same	DERWENT;	
	(workstations!))) same server	IBM TDB	
- 313	status with monitor with printer	USPAT;	2002/05/02
	_	EPO; JPO;	17:20
		DERWENT;	
İ		IBM TDB	!
- 13	(status with monitor with printer) same	USPAT;	2002/05/02
	server	EPO; JPO;	17:48
		DERWENT;	
		IBM TDB	
- 3	5669040.pn.	USPAT;	2002/05/02
		EPO; JPO;	17:48
		DERWENT;	
		IBM TDB	
- 1	5669040.pn. and server	USPAT;	2002/05/02
1	_	EPO; JPO;	17:59
		DERWENT;	
		IBM TDB	
- 1	("5727135").pn. and server	USPAT;	2002/05/02
		EPO; JPO;	17:59
		DERWENT;	
		IBM TDB	1